

LN 8/12/2005

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1695	(table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3) and (qos or quality adj of adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:44
L7	866	I6 and (atm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:44
✓ L8	281	(mpls or multi\$1protocol or multiprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3) and (qos or quality adj of adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:44
L9	638	I7 not L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:46
✗ ✓ L10	466	I9 and "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:46
✓ S1	770	mpls and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:52
✓ S2	2	"6178169".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 07:43
✓ S3	90	(label\$1switch\$3) and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:18
✓ S4	671	(label\$1 adj1 switch\$3) and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:34

S5	90	(label\$1switch\$3) and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:20
S6	581	S4 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:21
S7	717	(lsp) and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:34
S8	671	(label\$1 adj1 switch\$3) and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:34
S9	90	(label\$1switch\$3) and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:34
✓ S10	581	S8 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:34
✓ S11	633	S7 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:34
✓ S12	774	mpls and (index\$3 or pointer\$1) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:35
S13	582	S11 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:39
✓ S14	24	S13 and "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 07:40

✓ S15	229	tag adj1 switch\$3 and (index\$3 or pointe\$3) and (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 13:31
S16	29	tag\$1switch\$3 and (index\$3 or pointe\$3) and (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 13:37
S17	229	tag adj1 switch\$3 and (index\$3 or pointe\$3) and (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 13:37
S18	0	S16 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 13:37
S19	1736	(FEC or forward adj equivalence adj class) and (index\$3 or pointe\$3) and (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 13:38
✓ S20	222	(FEC or forward adj equivalence adj class) same (index\$3 or pointe\$3) and (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:32
✓ S21	2	(forward adj equivalence adj class) same (index\$3 or pointe\$3) and (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:31
✓ S22	1	(label\$1switch) and (MPLS or multiprotocol adj label adj switching adj system) same (index\$3 or pointe\$3) same (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:36
✓ S26	1	(qos or quality adj of adj service) same (explicit\$1 adj rout\$3) same (index\$3 or pointe\$3) same (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:02
✓ S27	13	(qos or quality adj of adj service) same (explicit\$1 adj rout\$3) and (index\$3 or pointe\$3) same (table\$1 or map\$1 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:40

S28	13	(qos or quality adj of adj service) same (explicit\$1 adj rout\$3) and (table\$1 or map\$1 or list\$1 or database\$1) same (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:36
S29	0	(qos or quality adj of adj service) same (explicit\$1 adj rout\$3) near (table\$1 or map\$1 or list\$1 or database\$1) same (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:36
S30	0	(qos or quality adj of adj service) same (explicit\$1 adj rout\$3) and (foward adj equivalence adj class) same (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:37
S31	0	(qos or quality adj of adj service) same (explicit\$1 adj rout\$3) and (foward adj equivalence adj class) with (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:38
S32	0	(mpls) same (explicit\$1 adj rout\$3) and (foward adj equivalence adj class) with (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:38
S33	0	(qos or quality adj of adj service) near (explicit\$1 adj rout\$3) and (foward adj equivalence adj class) with (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:38
S34	0	(qos or quality adj of adj service) and (explicit\$1 adj rout\$3) and (foward adj equivalence adj class) with (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:38
S35	0	(qos or quality adj of adj service) and (mpls) and (foward adj equivalence adj class) with (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:39
S36	0	(qos or quality adj of adj service) and (label) and (foward adj equivalence adj class) with (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:39
S37	0	(label adj router) and (foward adj equivalence adj class) with (index\$3 or pointe\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:40

S38	0	(label adj router) and (forward adj equivalence adj class) and (index\$3 or point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:40
S39	17	(qos or quality adj of adj service) same (explicit\$1 adj rout\$3) and (table\$1 or map\$1 or list\$1 or database\$1) same (index or point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:59
S40	6	S39 not S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:41
S41	62	(qos or quality adj of adj service) and (explicit\$1 adj rout\$3) and (table\$1 or map\$1 or list\$1 or database\$1) same (index or point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 11:19
S42	45	S41 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 08:59
S43	222	(qos or quality adj of adj service) and (atm) and (mpls) same (index or point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 13:09
S44	2	"6791985".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:22
S45	0	370/375.5.ccls. and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:22
S46	0	370/375.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:22
S47	31	370/395.5.ccls. and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:32

S48	2	"5623605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:29
✓ S49	149	370/392.ccls. and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:24
S50	2	"6408001".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:22
S51	2	"6473421".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:21
S52	2	"6529499".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:22
S53	58	370/466.ccls. and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:24
S54	1569	370/466.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:24
✓ S55	58	370/466.ccls. and MPis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:22
✓ S56	149	370/392.ccls. and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:24
S57	55	S55 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 08:24

S59	408	370/466.ccls. and (index\$3 or pointe\$3) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:14
S60	2	"5420858".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:05
S61	0	370/395.ccls. and mps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:05
S62	0	370/395.ccls. and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:06
S63	0	370/395.ccls. and fec	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:06
S64	0	370/395.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:06
S65	0	370/395.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:06
S66	0	370/395.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:06
S67	25	370/466.ccls. and (index\$3 or pointe\$3) and (table\$1 or map\$2 or list\$1 or database\$1) and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:19
S68	2	370/466.ccls. and (ip or internet adj protocol) near switch\$3 and (index\$3 or pointer or tag) near (table\$1 or list\$1 or database\$1 or map\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:20

✓ S69	88	"370"/\$6.ccls. and (ip or internet adj protocol) near switch\$3 and (index\$3 or pointer or tag) near (table\$1 or list\$1 or database\$1 or map\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:21
✓ S70	25	370/466.ccls. and MPLs and (index\$3 or pointer\$3) and (table\$1 or map\$2 or list\$1 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 09:22
S71	0	S70 not S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 10:47
✓ S72	253	mpls and (table\$1) with index\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 10:48
✓ S73	405	mpls and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 07:32
S74	4	mpls and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3) and 370/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 08:06
S75	74	(table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3) and 370/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 08:06
S76	451	(label adj switch\$3) and (table\$1 or map\$3 or database\$ or list\$3) same (index\$3 or pointer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 07:35
S77	409	mpls and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 07:57
S78	133	S76 not S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 07:57

S79	881	(mpls or multi\$1protocol or multiprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 13:18
S80	472	S79 not S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 07:58
S81	412	(mpls or multiple\$1protocol or multipleprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 14:14
S82	412	(mpls or multiple\$1protocol or multipleprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 07:34
S83	409	mpls and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 07:34
S84	881	(mpls or multi\$1protocol or multiprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 08:55
S85	472	S84 not S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 07:34
S86	412	S82 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 07:35
S89	37	(mpls or multi\$1protocol or multiprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (sequential\$3) near (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:23
S90	32	(mpls or multi\$1protocol or multiprotocol) and (sequential\$3) near (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:25

S91	37	(mpls or multi\$1protocol or multiprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (sequential\$3) near (index\$3 or pointer\$3 or ptr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:25
S92	0	S90 not S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:25
S93	281	(mpls or multi\$1protocol or multiprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3) and (qos or quality adj of adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:52
S94	5013	(table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3) and (qos or quality adj of adj service or COS or tos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:53
S95	1134	S94 and "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:53
S96 ✓	166	S95 and mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:53
✓ S97	281	(mpls or multi\$1protocol or multiprotocol) and (table\$1 or map\$1 or database\$ or list\$3) with (index\$3 or pointer\$3 or ptr\$3) and (qos or quality adj of adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:43
S98	35	S96 not S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:54